

Contribution ID: 71

Type: **not specified**

Cooling & the Origins of Cluster Atmospheres (via Zoom)

Tuesday, 16 August 2022 15:45 (25 minutes)

The conditions leading to large reservoirs of molecular clouds and star formation in central cluster galaxies are determined by atmospheric conditions on large scales. The thermodynamic properties of cooling core and non-cooling core cluster atmospheres diverge at radii approaching R_{2500} , or roughly 400 kpc radius in a 10^{14} solar mass cluster. These conditions are driven by an excess of 10^{12} solar masses of atmospheric gas in a 10^{14} solar mass cool core cluster with respect to a non-cool core cluster of similar mass. The high pressure environment in the inner one hundred kpc or so promotes thermally unstable cooling that leads to cloud condensation and star formation. We will discuss how these conditions may have arisen.

Primary author: MCNAMARA, Brian (Physics & Astronomy, University of Waterloo)

Co-authors: Dr RUSSELL, Helen (Nottingham); Ms GINGRAS, Marie-Joelle (Waterloo Centre for Astrophysics); Mr TAMHANE, Prathamesh (Waterloo Centre for Astrophysics); Dr SEVERAL OTHERS...; Dr ROSE, Thomas (Waterloo Centre for Astrophysics)

Presenter: MCNAMARA, Brian (Physics & Astronomy, University of Waterloo)

Session Classification: Tuesday afternoon: Thermal instability & multiphase ICM