






Condensed matter physics



Michele Burrello

michele.burrello@nbi.ku.dk




Berislav Buca

berislav.buca@physics.ox.ac.uk

Condensed Matter Theory and QDEV


Where are we?



More is different!

P. Anderson


The challenge of many-body physics is to master the complexity of thermodynamic systems and describe their emergent properties.



More is different!

P. Anderson



The challenge of many-body physics is to master the complexity of thermodynamic systems and describe their emergent properties.



More is different!

P. Anderson

The challenge of many-body physics is to master the complexity of thermodynamic systems and describe their emergent properties.



Let's discuss about energies

From High Energy....

... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21}$ eV $\sim 1.2 \times 10^{25}$ K




... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21}$ eV $\sim 1.2 \times 10^{25}$ K
- LHC: $\sim 1.3 \times 10^{13}$ eV $\sim 1.5 \times 10^{17}$ K




... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21} \text{ eV} \sim 1.2 \times 10^{25} \text{ K}$
- LHC: $\sim 1.3 \times 10^{13} \text{ eV} \sim 1.5 \times 10^{17} \text{ K}$
- Sun core: $\sim 1.5 \times 10^7 \text{ K}$




... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21} \text{ eV} \sim 1.2 \times 10^{25} \text{ K}$
- LHC: $\sim 1.3 \times 10^{13} \text{ eV} \sim 1.5 \times 10^{17} \text{ K}$
- Sun core: $\sim 1.5 \times 10^7 \text{ K}$
- Sun surface: $\sim 5.8 \times 10^3 \text{ K}$



... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21} \text{ eV} \sim 1.2 \times 10^{25} \text{ K}$
- LHC: $\sim 1.3 \times 10^{13} \text{ eV} \sim 1.5 \times 10^{17} \text{ K}$
- Sun core: $\sim 1.5 \times 10^7 \text{ K}$
- Sun surface: $\sim 5.8 \times 10^3 \text{ K}$
- Everyday life: $\sim 300 \text{ K}$



... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21} \text{ eV} \sim 1.2 \times 10^{25} \text{ K}$
- LHC: $\sim 1.3 \times 10^{13} \text{ eV} \sim 1.5 \times 10^{17} \text{ K}$
- Sun core: $\sim 1.5 \times 10^7 \text{ K}$
- Sun surface: $\sim 5.8 \times 10^3 \text{ K}$
- Everyday life: $\sim 300 \text{ K}$
- Liquid Nitrogen: $\sim 77 \text{ K}$




... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21} \text{ eV} \sim 1.2 \times 10^{25} \text{ K}$
- LHC: $\sim 1.3 \times 10^{13} \text{ eV} \sim 1.5 \times 10^{17} \text{ K}$
- Sun core: $\sim 1.5 \times 10^7 \text{ K}$
- Sun surface: $\sim 5.8 \times 10^3 \text{ K}$
- Everyday life: $\sim 300 \text{ K}$
- Liquid Nitrogen: $\sim 77 \text{ K}$
- Liquid Helium - Superconductors: $\sim 4 \text{ K}$




Kamerlingh Onnes 1911

... to Low Temperatures

Let's discuss about energies

From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21} \text{ eV} \sim 1.2 \times 10^{25} \text{ K}$
- LHC: $\sim 1.3 \times 10^{13} \text{ eV} \sim 1.5 \times 10^{17} \text{ K}$
- Sun core: $\sim 1.5 \times 10^7 \text{ K}$
- Sun surface: $\sim 5.8 \times 10^3 \text{ K}$
- Everyday life: $\sim 300 \text{ K}$
- Liquid Nitrogen: $\sim 77 \text{ K}$
- Liquid Helium - Superconductors: $\sim 4 \text{ K}$
- QDEV dilution fridges: $2 \times 10^{-2} \text{ K}$




... to Low Temperatures

Let's discuss about energies


From High Energy....

- Free kick (vs ENG) by Damsgaard:
 $\sim 10^{21} \text{ eV} \sim 1.2 \times 10^{25} \text{ K}$
- LHC: $\sim 1.3 \times 10^{13} \text{ eV} \sim 1.5 \times 10^{17} \text{ K}$
- Sun core: $\sim 1.5 \times 10^7 \text{ K}$
- Sun surface: $\sim 5.8 \times 10^3 \text{ K}$
- Everyday life: $\sim 300 \text{ K}$
- Liquid Nitrogen: $\sim 77 \text{ K}$
- Liquid Helium - Superconductors: $\sim 4 \text{ K}$
- QDEV dilution fridges: $2 \times 10^{-2} \text{ K}$
- Ultracold atoms: 10^{-8} K




... to Low Temperatures

Quantum world at low temperature




Superconductivity

Quantum world at low temperature




Superconductivity




Superconductor-Insulator phase transition in Josephson Junctions array


Quantum world at low temperature



Superconductivity




Quantum simulations




Superconductor-Insulator phase transition in Josephson Junctions array


Quantum world at low temperature




Superconductivity



Superconductor-Insulator phase transition in Josephson Junctions array




Quantum simulations




*Topological Phases of Matter
Majorana devices @ QDEV*

Josephson Junctions array in planar geometries

- Superconducting islands connected by Josephson Junctions
- Quantum engineering of effective Hamiltonians
- Possibility of studying a variety of physical phenomena such as phase transitions, frustration and vortex dynamics




Josephson Junction




Kagome lattice of Josephson Junctions

Fractional quantum Hall:




Robustness against local perturbations




Topologically protected quasiparticles

Topological phases of matter


Fractional quantum Hall:



Robustness against local perturbations




Topologically protected quasiparticles



Quasiparticles with fractional charges and anyonic statistics


Analytical methods:

- Advanced quantum mechanics
- Quantum field theories
- Feynman path integral
- Gauge theories
- ...



Numerical methods:

- Exact diagonalization
- DMRG and tensor networks
- Machine learning
- ...



Condensed matter courses

IV year

- **Block 2:**

- Condensed matter physics 2 (Course, 7.5 ECTS)

Karsten Flensberg

- Condensed matter theory 1 (Course, 7.5 ECTS)

Brian Andersen

- **Block 3:**

Condensed matter theory 2 (Course, 7.5 ECTS)

Jens Paaske

- **Block 4:**

Advanced condensed matter theory (PUK: Study Project, 7.5 ECTS)

Michele Burrello

Visit: <https://absalon.instructure.com/courses/63923>

Enroll: <https://absalon.instructure.com/enroll/AHD8JC> (Enroll beginning of block 3)



Michele Burrello

michele.burrello@nbi.ku.dk



Berislav Buca

berislav.buca@physics.ox.ac.uk



Michele Burrello

michele.burrello@nbi.ku.dk



Berislav Buca

berislav.buca@physics.ox.ac.uk

Other CMT professors:

Jens Paaske

Karsten Flensberg

Brian Andersen


Per Hedegård

Constantin Schrade


Andreas Kreisel

Evert van Nieuwenburg

Matteo
Wauters



Morten
Christensen



Ida
Nielsen



Lorenzo
Maffi

